ANATOMY & PHYSIOLOGY = II

IMPORTANT QUESTIONS

UNIT 4



2 EXPLAIN IN DETAIL ABOUT ENDOCRINE SYSTEM ALSO DEFINE MECHANISM OF ACTION OF HORMONES

ENDOCRINE SYSTEM

- The Human Endocrine System is consist of group of ductless glands (Endocrine Glands) that regulates the body processes by secreting chemical substances (chemical messengers) known as Hormones.
- Endocrine Glands are Ductless.

• They secretes hormones directly into the Bloodstream.


• The Nervous System ← Endocrine System together controls ← coordinates

all the functions of our body.

• The branch of science deals with the study of Endocrine system is known as Endocrinology.

ENDOCRINE GILANDS

- Endocrine Glands are ductless glands that secretes hormones into the extracellular spaces that further diffused into blood capillaries & carried throughout the body by circulatory system.
 The Endocrine system consist of number of endocrine glands as follows:
- O Pituitary Gland
- 2 Pineal Gland
- 3 Thyroid Giland
- @ Parathyroid Gland
- 1 Thymus Gland
- @ Adrenal Gland
- 3 Pancreatic Islets
- 3 Ovaries (Females)
- Testes (Males)



HORMONES

- Hormones are nothing but type of chemical messengers primarily produced by Endocrine Glands.
- Hormones regulates ← controls a wide range of Physiological Functions.
- They are responsible for various cellular activities specially Growth &.
 Metabolism.

Types Of Hormones

Hormones can be classified into two types:

- O Steroidal Hormones
- 2 Non Steroidal Hormones

Steroidal Hormones

- They are generally synthesised / derived from Cholesteral based lipids.
- They are mainly water insoluble / lipid soluble.
- These hormones can easily cross the Plasma Membrane.
- Example : Testosterone, Progesterone, Gilucconticoids etc.

Non-Steroidal Hormones


- They are also known as Protein Hormones.
- They are synthesised from Amino Acids (Amines, Polypeptides, Proteins etc).
- They are generally Water Soluble.
- Protein Hormones cannot cross the Plasma Membrane.
- Example : Insulin , Adrenaline , Gilucagon etc.


MECHANISM OF HORMONE ACTION

- Hormones shows their action on target cell by binding on specific receptors present either on surface or inside of that cell.
- Hormones binds on their receptor to form Hormone Receptor Complex.
- Hormones mainly shows their action by following mechanism.
- 1 Direct Grene Activation Mechanism
- Second Messenger Activation Mechanism

1 DIRECT GIENE ACTIVATION


- This mechanism is mainly performed by Steroidal Hormones or Lipid Soluble Hormones.
- The receptors of these hormones present in intracellular region either in cytoplasm or neucleoplasm.






SECOND MESSENGER ACTIVATION MECHANISM

- This mechanism is mainly performed by Non-steroidal Hormone / Protein Hormone or Lipid insoluble hormones.
- The receptors of these hormones present on the surface of the cell.



2º Messenger

2º Messenger are substances that transmit signals from cell surface to target site within cell Example: camp, camp, IP3, DAG, Catt



2 WHICH GLAND IS KNOWN AS MASTER GLAND
OF HUMAN BODY
WHY PITUITARY GLAND IS KNOWN AS MASTER GLAND
OF HUMAN BODY


PITUITARY GLAND

- Pituitary Gland is a very small gland & also known as Hypophysis.
- It is located in 'Sella Turcica' a depression in sphenoid bone.
- It is almost a pea size gland & its weight is about 500 mg.
- It joints with Hypothalamus through Infundibulum.
- The Pituitary Giland is also known as 'Master Giland' of our body as it controls the activity & functions of various other Endocrine Glands.

PARTS OF PITUITARY GILAND

Pituitary Gland can be subdivided into two parts:


- O Anterior Pituitary
- 2 Posterior Pituitary



HYPOTHALAMUS

- Although Hypothalamus is not purely considered as part of Endocrine Glands yet along with Pituitary Gland it plays major role in Endocrine System.
- It is known as Master of 'Master Gland'.
- It releases various 'Releasing' and 'Inhibiting' Hormones to the Anterior Pituitary through 'Portal Circulation'
- It also produces & stores hormones (ADH & Oxytocin) in the posterior pituitary through 'Neurosecretory / Neuroendocrine cells.'

It controls the release or inhibit of hormones from Pituitary Gland as follows:



ANTERIOR PITUITARY

- Anterior Pituitary is also known as Adenohypophysis.
- It can be further divided into two parts:
- 1 Pars Distalis
- 2) Pars Intermedia.
- Hypothalamus controls the release & inhibition of hormones released from anterior pituitary by sending hormones through 'Hypophaseal Portal Vein'.
- Anterior Pituitary secretes various hormones that controls & coordinates the functions of other endocrine glands.
- The Hormones releases by Anterior Pituitary are as follows:
- (i) Growth Hormone (GH)
- (ii) Thyroid Stimulating Hormone (TSH)
- (iii) Adrenocorticotrophic Hormone (ACTH)
- (iv) Protaction
- (v) Gionadotrophins

GROWTH HORMONE

- It releases from Anterior Pituitary in most abundant amount.
- It is responsible for growth € development of body by increasing cell division, Protein Synthesis, Blood-Glucose Level € Lipid breakdown.
- It targets various tissues & organs i.e., Liver, Connective Tissue, Bones. Muscles etc.
- Hypothalamus stimulate the release of growth hormone by secreting 'Growth Hormone Releasing Hormone' & suppresses / inhibited it by secreting 'Growth Hormone Release Inhibiting Hormone' (GHRIH).
- · Secretion of Git is greatre at night during sleep.
- Hypersecretion of Git leads to Gigantism.
- · Hyposecretion of GH leads to Dwarfism.

THYROID STIMULATING HORMONE (TSH)

- It is also known as Thyrotrophin.
- It stimulates growth & activity of Thyroid Gland
- The blood levels of TSH is stimulated by Thyrotrophin Releasing Hormone's secreted by Hypothalomus.
- Its inhibition is regulated by Negative Feedback Mechanism.
- Its release is lower in early evening & highest during night.

ADRENOCORTICOTROPHIN HORMONE (ACTH)

- It ads on Adrenal Cortex
- Its secretion is stimulated by 'Corticotrophin Releasing Hormone' from Hypothalamus.
- It promotes the release of steroid hormones (especially cortisol) from Adrenal Cortex.
- Its inhibition is regulated by Negative Feedback Mechanism.

PROLACTIN

- This hormone is responsible for Ladatron (Milk Production) & has a direct effect on breast after Childbirth.
- The release of Prolactin is stimulated by 'Prolactin Releasing Homone' & further lowered by 'Prolactin Inhibiting Homone'.
- Its secretion is Increased during sleep & emotional stress.

GONADOTROPHINS

- After Puberty two Gionadotrophins (Sex Hormones) are secreted by Anterior Pituitary in response to Granadotrophin Releasing Hormone! via Hypothalamus.
- These Hormones are :
- 1 FSH (Follicle Stimulating Hormone)
- 2 LH (Luternizing Hormone)

- In Males |: In Males FSH stimulates Spermatogenesis.
 - LH also known as Interstitial Cell Stimulating Hormone (ICSH) stimulates interstitial cell of testes to secrete Testosterone.

- In Females : In Females FSH stimulates Organesis.
 - LH & FSH are involved in secretion of hormones Oestrogen & Progesterone during menstrual ayde.

POSTERIOR PITUITARY

• It is also known as Neurohypophysis.

• The hormones of Posterior Pituitary is basically synthesized by Hypothalamus while they are stored & secreted through Posterior Pituitary.

• There are basically two hormones secreted by Posterior Pituitary as follows:

1 Oxytocin

2 Antidiwetic Hormone

OXYTOCIN

 Oxytocin is often called 'Love Hormone' as it plays role in social bonding, trust, empathy etc.

• Oxytocin mainly acts on two target tissues during & after the childbirth

Utenine Smooth Musdes & Breast Musdes.

 During Labour (Delivery / Childbirth) it contract the Uterine Smooth Muscles & helps with birthing process.

• It also facilitates milk ejection during breastfeeding by contracting cell

around milk producing glands in breast.

• The release of oxytocin is triggered by suckling of nipples by baby.

ANTIDIURETIC HORMONE (ADH)

• It is also known as Vasopressin.


 The main function of ADH is to reduce unine output by increasing water reabsorbtion through Nephrons.

• It also causes vasoconstriction in blood vessels leads to increase blood pressure that's why alternatively called Vasopressin

3 DESCRIBE IN DETAIL ABOUT ADRENAL GLAND & HORMONES OF ADRENAL GLAND

ADRENAL GLAND

- There are two Adrenal Glands in our body at top of both kidneys.
- They are around 4 cm long, 3 cm thick € 4 gram in weight.
- They can be further subdivided into two parts :
- 1 Adrenal Cortex
- 2 Adrenal Medula



ADRENAL CORTEX

- It is the outer part of Adrenal Gland.
- If develops from Renal Tissues
- Adrenal Cortex produces three groups of steroid hormones collectively known as Corticoids / Corticosteroids.
- It is further subdivided into 3 subparts:
- O Zona Gilomerulosa: Mineralocorticoids
- 2 Zona Fasciculata: Glucoconticoids
- 3 Zona Reticularis: Gronadocorticoids (Sex Hormones)

MINERALOCORTICOIOS (ALDOSTERONE)

- Aldosterone is the major mineralocorticoid homone.
- If helps to maintain Water & Electrolyte balance in our body.
- If stimulates Nat reabsorbtion € kt excretion.
- Release of Aldosterone is stimulated by increase Blood Potassium level & RAAS System.

GLUCOCORTICOIDS

- Cortisol, Corticosterone & Cortison are major Glucocorticoids.
- They are essential for life, regulation of Metabolism € responses to stress. Release of cortisol triggered by stress.
- It is also known as Life Saving Hormone
- If performs various functions as follows:
- Gluconeogenesis
- Lipolysis
- Sodium & Water Reabsorbtion
- It also have Anti-inflammatory action.
- Suproesses Immune Response
- Delay Wound Healing
 Supress response of tissue to injury.

GIONADOCORTICOIDS (SEX HORMONES)

- Sex hormones searched by Adrenal Cortex are mainly Androgens (Male Sex Hormones) & to a lesser extent Estrogen.
- The amount of sex hormones produced by Adrenal Ortex are generally insignificant compared with those secreted by Testes & Ovaries.

ADRENAL MEDULLA

- It is the innermost part of Adrenal Gland.
- It is surrounded by Cortex.
- It develops from Nervous Tissue.
- It mainly releases two hormones collectively known as Catacholamines.
- 1 Adrenaline (Epinephrine)
- 2 Nor-Adrenaline (Nor-Epinephrine)


ADRENALINE & NOR - ADRENALINE

- Adrenaline ← Nor- adrenaline are released into Bloodstream. From Adrenal Medula during activation of Sympathatic Nervous System.
- They are structurally very similar & shows similar responses as follows:
- Increasing Heart Rate
- Increasing Blood Pressure
- Pupil Dilation
- Bronchodilation
- Increased Blood Sugar Level
- Decreases Digestive Activity

4 DESCRIBE IN DETAIL ABOUT THYROID GLAND AND HORMONES OF THYROID GLAND

THYROID GLAND

- It is the largest endocrine gland in our body.
- It present around trached at level of 5th, 6th < 7th cervical € 15t thoracic vertebrac
- It resembles the shape of butterfly.
- It consist of two lobes connected with Isthumus.
- It composed of hollow structures known as 'follows'.
- It secretes two hormones :
- 1 Thyroid Hormone
- 2 Calcitonin



CALCITONIN

- It is secreted by Parafollicular cells.
- It ads on bone & kidneys to reduce blood calcium level when increased.
 It basically decreases Blood Calcium level.
- Release of calcitonin is stimulated by increase in Blood Calcium level.

THYROUD HORMONES

- There are mainly two types of Thyroid Hormones.
- 1 Triodothymnine (T3)
- 2 Thyroxine (Tu)
- Iodine is most essential for formation of thyroid hormones.
- The release of T3 & Tu is stimulated by Thyroid Stimulating Hormone (TSH).
- They are known as 'Master Hormones'
- It increases the BMR & Heat Production
- It regulates metabolism of Carbohydrates, Proteins & Fats.
- T₃ ← Tu are essential for normal growth ← development especially Skeleton ← Nervous System.
- T3 is more potent while Tu is more abundant.
- It also regulates Menstrual Cycle & Water Electrolyte Balance.
- They also play a role in maintaining Healthy skin, hair & nail.
- Thyroid Hormones can also affect mood e their imbalance leads to Mood swings, anxiety e depression.

5 DEFINE THE HORMONES OF PANCREATIC ISLETS ROLE OF INSULIN IN BLOOD GLUCOSE REGULATION

PANCREATIC TSLETS

• The Pancreatic Islets also known as Islets of Langerhans are found

• in clusters irregularly distributed throughout the pancreas.

• It is the only part of pancreas behaves as Endocrine Galands.

• There are mainly 3 types of cells in Pancreatic Islets.

Φ α Cells : Secretes Gilucagon
 ② β Cells : Secretes Insulin
 ③ 5 Cells : Secretes Somatostatin

Insulin

• It is secreted by B cells of Pancreas.

• It decreases Blood-Gilucose Level by promoting Gilycogenesis, Lipogenesis & preventing Gilycogenolysis & Giluconeogenesis

• Secretion of insulin is stimulated by increased Blood Glucase Level & decreased by Glucagon , Adrenaline , cortisol ℓ somatostatin .

GLUCAGION

• It is secreted by a-cells of Pancreas.

• It increase Blood - Gilucose Level by promoting Gilycogenolysis € Giluconeogenesis.

• Searction of Glucagon is stimulated by low Blood Glucase Level decreased by Somatostatin & Insulin.

SOMATOSTATIN

- Somatostatin is also known as Growth Hormone Release Inhibiting Hormone (GHRIH).
- It is produced by δ cells ϵ also via Hypothalamus.
- This Hormone Inhibits the secretion of both Insulin & Glucagon.





JOIN US ON:



IMPERFECT PHARMACY



IMPERFECT PHARMACY



@IMPERFECTPHARMA



IMPERFECT PHARMACY



@IMPERFECTPHARMACY



IMPERFECT PHARMACY

